## SECOND REGULAR SESSION

## House Concurrent Resolution No. 19

## 96TH GENERAL ASSEMBLY

INTRODUCED BY REPRESENTATIVES WALTON GRAY (Sponsor), PACE, McGEOGHEGAN, HUGHES, SMITH (71) AND BROWN (50) (Co-sponsors).

	4916L.01I
2 3	<b>WHEREAS</b> , sickle cell disease is an inherited blood disorder that affects red blood cells. People with sickle cell disease have red blood cells that contain an abnormal type of hemoglobin; and
4	
5 6	<b>WHEREAS</b> , normal red blood cells contain hemoglobin A. Hemoglobin S and hemoglobin C are abnormal types of hemoglobin; and
7	
8 9 10 11	WHEREAS, red blood cells containing mostly hemoglobin S do not live as long as normal red blood cells and have difficulty passing through the body's small vessels. These hemoglobin S red blood cells can block small blood vessels, resulting in tissue damage due to less blood reaching that portion of the body; and
12	
13 14 15	<b>WHEREAS</b> , sickle cell trait is an inherited condition in which both hemoglobin A and S are produced in the red blood cells, always more A than S. Sickle cell trait is not a type of sickle cell disease; and
16	
17 18 19 20	WHEREAS, sickle cell conditions are inherited from parents in much the same way as blood type, hair color and texture, eye color and other physical traits. The types of hemoglobin a person makes in the red blood cells depend upon what hemoglobin genes the person inherits from his or her parents; and
21	
22 23	<b>WHEREAS</b> , since sickle cell conditions are inherited from parents, it is important for people to be aware if they are a carrier before having children; and
24	
25 26 27	<b>WHEREAS</b> , more than 80,000 people in the United States have sickle cell disease, affecting mostly persons of African heritage according to the National Institute of Health. Currently, there is no universal cure for sickle cell disease; and
28	

HCR 19 2

29 30	<b>WHEREAS</b> , sickle cell disease results in a shortened life expectancy, with the average life expectancy being 42 years for men and 48 years for women; and
31	
32 33 34	<b>WHEREAS</b> , based on the population of 5 million in the State of Missouri, 600,000 are African American. 1 out of 400 suffers with sickle cell conditions and 1 out of 12 has the sickle cell trait; and
35	
36 37 38	<b>WHEREAS</b> , with these estimated numbers, there are approximately 1,500 individuals with sickle cell conditions and 50,000 individuals with sickle cell trait in the State of Missouri; and
39	
40 41 42	<b>WHEREAS</b> , approximately 700 children, adolescents, and young adults with sickle cell disease reside in the St. Louis Metropolitan area. However, less than 25% of this sickle cell population will graduate from high school or seek higher education; and
43	
44 45	<b>WHEREAS</b> , health maintenance for persons with sickle cell disease starts with early diagnosis, preferably when a newborn; and
46	
47 48 49	<b>WHEREAS</b> , treatment of complications often includes antibiotics, pain management, intravenous fluids, blood transfusions, and surgery in combination with psychosocial support; and
50	
51 52 53 54 55	WHEREAS, there are promising new treatments being developed which can prevent red blood cells from sickling without causing harm to other parts of the body, reduce the frequency of severe pain, acute chest syndrome, and the need for blood transfusions, and provide options to eliminate iron overload caused by repeated blood transfusions; and
56	WHEREAS, public awareness about sickle cell trait and disease and the numerous
57	programs and screening available is vital to reduce to pervasiveness of sickle cell conditions:
58	
59 60 61 62	<b>NOW, THEREFORE, BE IT RESOLVED</b> that the members of the House of Representatives of the Ninety-sixth General Assembly, Second Regular Session, the Senate concurring therein, hereby designate the week of May 13 - 19, 2012, as "Sickle Cell Awareness Week" in Missouri; and
63	

HCR 19 3

BE IT FURTHER RESOLVED that the General Assembly encourages and urges all citizens of this state to participate in activities during Sickle Cell Awareness Week to address the pervasiveness of sickle cell trait and disease and the need to increase public awareness of the available programs and screenings.

/